



## Get up to 90% corrosion reduction.

## **3M™ Aircraft Corrosion Prevention System**

NEW! 3M™ Gel Tape 8145GT 3M<sup>™</sup> Polysulfide Sealant AC-770 B

3M<sup>™</sup> Polyurethane Protective Tape 8658DL 3M<sup>™</sup> Polyurethane Protective Tape 8657DL



Designed by users for users, this lightweight, removable gel tape is easy to handle — unwind, cut and install.

- Superior acid resistance
- ▶ Easy to install and remove
- Repositionable and conformable



Fast-curing, low-density, twocomponent, polysulfide sealant fills voids and seals fuselages.

- Easy to apply and work with
- Low solvent reduces shrinkage and rework
- Maintains flexibility and bond strength



Highly durable and puncture-resistant tape covers the seam between floorboard panels.


- Stand-alone FR-rated, conformable and easy to apply
- Transparent so you can visually inspect sealant and fasteners
- Won't damage floorboards during removal



Dual liner tape covers large areas of flooring to prevent fluids from reaching floorboards.

- Stand-alone FR-rated, conformable and easy to apply
- Creates a bathtub effect
- Protects around transitions, terminations and contoured areas

## 3M™ Aircraft Corrosion Prevention System



## **Ordering Information**

Product #	Size	Packaging	SKU
3M™ Polyurethane Protective Tape for Wide Area Protection			
8657DL	4 in. x 3 yd. Sample	1/Carton	70-2022-8016-3
	24 in. x 36 yds.	1/Carton	70-2022-8017-1
	Misc. Custom Sizes	Custom	70-2022-8015-5
3M <sup>™</sup> Polyurethane Protective Tape for Seam Sealing			
8658DL	4 in. x 3 yd. Sample	1/Carton	70-2022-8018-9
	4 in. x 36 yds.	2/Carton	70-2022-8019-7
	Misc. Custom Sizes	Custom	70-2022-8020-5
3M <sup>™</sup> Gel Tape 8145GT			
8145GT	1 in. x 4 yd. Sample	1/Carton	70-2022-8112-0
	2 in. x 4 yd. Sample	1/Carton	70-2022-8114-6
	Misc. Custom Sizes	1/Carton	70-2022-8113-8
3M <sup>™</sup> Aerospace Sealant AC-770 B			
AC-770 B	3.5 oz. Kit	24/Case	70-0052-0425-7
	6 oz. PMF Cartridge	24/Case	70-0052-0455-0
	24 oz. Quart Kit	9/Case	70-0052-0459-2



3M Aerospace and Commercial Transportation Division 3M Center, Building 223-1N-14 St. Paul, MN 55144-1000

General & Technical Information Phone: 1-800-235-2376 Web: 3M.com/Aerospace **Product Use:** Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. Given the variety of factors that can affect the use and performance of a 3M product, user is solely responsible for evaluating the 3M product and determining whether it is fit for a particular purpose and suitable for user's method of application.

Warranty and Limited Remedy: 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES OR CONDITIONS, INCLUDING ANY IMPLIED WARRANTY OR CONDITION OF MERCHANT-ABILITY OR FITNESS FOR A PARTICULAR PURPOSE. If the 3M product does not conform to this warranty, the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

**Limitation of Liability:** Except where prohibited by law, 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted.

Upgrade your aircraft at 3M.com/PreventCorrosion.

© 3M 2016. All rights reserved. 3M is a trademark of 3M Company. Please recycle. Printed in U.S.A. 60-9700-0420-0